


80% THC-A Full Spectrum Live Resin Dabs (Badder)

Sample ID: SA-250516-62105
 Batch: FS-BD80A51625
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Badder
 Unit Mass (g):

Received: 06/04/2025
 Completed: 06/09/2025

Client
 Elyxr
 330 Wall St #1
 Los Angeles, CA 90013
 USA



Summary

Test
 Cannabinoids

Date Tested
 06/09/2025

Status
 Tested

0.0558 % Δ9-THC	82.9 % Δ9-THCA	83.9 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
---------------------------	--------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	0.0635	0.635
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.218	2.18
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	0.143	1.43
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	ND	ND
CBNA	0.006	0.0181	0.136	1.36
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	0.0558	0.558
Δ9-THCA	0.0084	0.0251	82.9	829
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	0.338	3.38
Total Δ9-THC			72.8	728
Total			83.9	839

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



Generated By: Ryan Bellone
 Commercial Director
 Date: 06/09/2025



Tested By: Kelsey Rogers
 Scientist
 Date: 06/09/2025



ISO/IEC 17025:2017 Accredited
 Accreditation #108651

